



# ENERGY STAR CERTIFIED Enterprise Servers

Supermicro - AS -1125HS-TNR, HS119-R12H13, HS119-R16H13, HS119-12, HS119-16 : AS -1125HS-TNR, HS119-R12H13, HS119-R16H13, HS119-12, HS119-16

## Specifications

<b>ENERGY STAR Unique ID:</b>	3553978
<b>ENERGY STAR Partner:</b>	Super Micro Computer, Inc.
<b>Brand Name:</b>	Supermicro
<b>Model Name:</b>	AS -1125HS-TNR, HS119-R12H13, HS119-R16H13, HS119-12, HS119-16
<b>Model Number:</b>	AS -1125HS-TNR, HS119-R12H13, HS119-R16H13, HS119-12, HS119-16
<b>Form Factor:</b>	Rack-mount
<b>Resilient System:</b>	No
<b>Available Expansion Slots:</b>	4
<b>Operating Systems Supported:</b>	Windows
<b>Power Saving Features Available:</b>	Other
<b>Product Processor Socket Count:</b>	2
<b>Available DIMM Slots:</b>	24
<b>Maximum Memory Capacity (GB):</b>	5120.0
<b>Installed Processors for Typical or Single Configuration:</b>	2
<b>Cores Per Processor Typical or Single Configuration:</b>	182
<b>Number of Threads for Typical or Single Configuration:</b>	364
<b>Processor Brand Typical or Single Configuration:</b>	AMD
<b>Processor Model Name Typical or Single Configuration:</b>	AMD EPYC 9654
<b>Processor Speed for Typical or Single Configuration (GHz):</b>	2.4
<b>Num. of DDR Channels for Typical or Single Configuration:</b>	2
<b>Memory Speed Typical or Single Configuration (GHz):</b>	4.8
<b>Typical or Single Configuration Size Per DIMM (GB):</b>	96
<b>Installed Num. DIMMs for Typical or Single Configuration:</b>	24
<b>Installed Memory for Typical or Single Configuration (GB):</b>	2304.0

<b>Typical or Single Configuration Redundant Power Supply:</b>	Yes
<b>SERT Active State Efficiency Score Typical or Single Configuration:</b>	73.30
<b>SERT Version :</b>	Other
<b>SERT Version Other :</b>	2.0.7
<b>64-bit Architecture:</b>	64-bit supported
<b>Date Available On Market:</b>	2023-06-14
<b>Date Certified:</b>	2024-07-05
<b>Markets:</b>	United States, Japan, Canada
<b>ENERGY STAR Certified:</b>	Yes

**Captured On:**  
04/25/2025