



ENERGY STAR CERTIFIED

# Electric Vehicle Chargers (AC-Output)

## ChargePoint - CP6000 with Dual Port : CP6000

### Specifications

|  |                       |
|--|-----------------------|
| Brand Name:  | ChargePoint           |
| Model Name:  | CP6000 with Dual Port |
| Model Number:  | CP6000                |
| ENERGY STAR Unique ID:   | 2409602               |
| ENERGY STAR Partner:   | ChargePoint, Inc.     |
| Product Type:  | Level 2               |
| Input Voltage (V):   | 240.0                 |
| Max Nameplate Output Current (A):  | 80                    |
| Maximum Output Power (kW):   | 19.2                  |
| Number of Outputs:   | 2                     |
| Maximum Output Cord Length (ft.):  | 18                    |
| Output Cord Gauge (AWG):   | 2x9                   |
| Maximum (100%) Measured Luminance of the High Res Display (candelas per m2): | 3271.0                |
| Automatic Brightness Control (ABC) Capable?:                                 | No                    |
| Connected Capable:   | No                    |
| Network Connection Types Available:  | Cellular              |
| Is Broadband Internet Connection Needed for Demand Response?:                | No                    |
| Protocols Used to Support Smart Charging:                                    | SAE J1772             |
| Screen Area, if EVSE has high res display (in2):                             | 30.53                 |
| 15 A Operation Mode Test: Total Loss (watts):                                | -11.91                |
| 30 A Operation Mode Test: Total Loss (watts):                                | -52.25                |
| 4 A Operation Mode Test: Total Loss (watts):                                 | 9.16                  |
| Full Current Operation Mode Test: Total Loss (watts):                        | -304.4                |
| Idle Mode Input Power (watts):   | 8.13                  |
| Idle Mode Power Factor:  | 0.44                  |
| Idle Mode Total Allowance (watts):   | 39.08                 |
| No Vehicle Mode Input Power (watts):   | 5.93                  |
| No Vehicle Mode Power Factor:  | 0.41                  |
| No Vehicle Mode Total Allowance (watts):                                     | 7.08                  |
| Partial On Mode Input Power (watts):   | 6.08                  |
| Partial On Mode Power Factor:  | 0.31                  |

|  |                       |
|--|-----------------------|
| Partial On Mode Total Allowance (watts): | 7.08                  |
| Date Certified:                          | 2023-03-01            |
| Date Available on Market:                | 2023-03-01            |
| Markets:                                 | United States, Canada |
| ENERGY STAR Certified:                   | Yes                   |

## Additional Model Information

,CP6021B-50A-L5.5-\*\*\*\*, CP6023B-50A-L5.5-\*\*\*\*, CP6021B-80A-L5.5-\*\*\*\*, CP6023B-80A-L5.5-\*\*\*\*,CP6021B-50A-L7-\*\*\*\*, CP6023B-50A-L7-\*\*\*\*, CP6021B-80A-L7-\*\*\*\*, CP6023B-80A-L7-\*\*\*\*,Where \*\*\*\* represents customer codes, may be followed by DAI, MER, DMS, SDGE

Captured On:  
04/25/2025