



ENERGY STAR CERTIFIED

Electric Vehicle Chargers (DC-Output)

XCHARGE - C6AM-200-CC : C6AM-200-CC

Specifications

Brand Name:	XCHARGE
Model Name:	C6AM-200-CC
Model Number:	C6AM-200-CC
ENERGY STAR Unique ID:	3845015
Type:	DC-output (AC-input)
Rated Input Voltage (V) AC-Input:	480
DC-input or AC-input:	AC-input
ENERGY STAR Partner:	XCharge Energy USA Inc
Maximum Nameplate Output Current (A) AC-Input:	300.0
Maximum Measured Luminance of the High Res Display (candelas per m2):	780.6
Output Cord Length (ft.):	16
Number of Outputs:	2
Output Cord Gauge (AWG):	2/0
Single Phase or Three Phase:	Three Phase
Product Configuration:	All-in-One Product Configuration
Maximum Available Output Power:	200000.0
Maximum Output Power:	200.0
Automatic Brightness Control Capable?:	No
Connected Capable:	Yes
Network Connection Types Available:	Gigabit Ethernet,Wi-Fi,Other LAN (Local Area Network),Cellular
Screen Area, if EVSE has high res display (in2):	15.0
Connector Type:	Tesla,Combined Charging System (CCS)
DR Protocol:	Open Charge Point Protocol (OCPP)
Integral Battery Bank:	No
Product Features:	None
Auxiliary Product Features:	PLC Board (ISO 15118),Credit Card Reader,Radio Frequency Identification (RFID)
Idle Mode Input Power (watts) AC- Input:	1107.27
No Vehicle Mode Input Power (watts) AC-Input:	32.64
No Vehicle Mode Power Factor AC-Input:	0.07
No Vehicle Mode Total Allowance (watts):	136.27
Partial On Mode Input Power (watts) AC-Input:	38.94

Partial On Mode Power Factor AC-Input:	0.08
Partial On Mode Total Allowance (watts):	136.27
Average Loading-Adjusted Efficiency (%) AC-Input:	0.95
Date Certified:	2024-12-04
Date Available On Market:	2024-11-19
Markets:	United States, Canada
ENERGY STAR Certified:	Yes

Additional Model Information

,C6AM-120-CC;; ,C6AM-150-CC;; ,C6AM-160-CC;; ,C6AM-180-CC;; ,C6AM-60-CC;; ,C6AM-80-CC;; ,C6AM-90-CC,

Captured On:
04/25/2025